

Executive Communication Systems Professional Digital Product Comparison

DS-7000



DS-5000



Classification

Product Class	Professional Dictation Device	Professional Dictation Device
Mobile / Stationary	mobile and stationary	mobile and stationary

Storage Media

Internal memory	2 GB microSD / microSDHC card	512 MB microSD / microSDHC card
SD / SDHC Slot	Yes	Yes
microSD / microSDHC card	Yes	Yes
External Memory (Slot)	2 GB microSD card / SDHC card (512 MB - 32 GB)	2 GB Expandable Memory System

USB functionality

USB Storage class	Yes	Yes
USB Audio class	Yes	Yes
USB HID	Yes	Yes
USB Composite device	Yes	Yes

Display

Display Type	Full colour TFT display	Full Dot Matrix Display
Display Backlit	-	Yes

Device operation

Power switch	Yes	Yes
Main Switch	Slide	Slide
HOLD switch	-	No

Playback Modes

Playback format	DSS Pro	DSS Pro
-----------------	---------	---------

Record function

New button	Yes	Yes
VCVA recording	Yes	Yes
Index	Up to 32 per file	Up to 32 per file
Timer recording	-	No
Telephone recording	-	No
Low Cut-Filter	-	No
Direct recording	Yes	Yes
Insert	Yes	Yes
Overwrite	Yes	Yes
Rec Monitor	Yes	No
Manual Rec level control	-	No
Zoom Mic. Setting (DVM)	-	No
Continuous Recording	-	No
Partial Erase	Yes	Yes
Erase all files	Yes	Yes
Erase single files	Yes	Yes
Hands free recording function via optional footswitch	Yes	Yes
Verbal annotations (up to 32 per file)	Yes	Yes

Playback function

Noise canceling function	-	No
Voice filter	-	No
Alarm playback	-	No
Playback Speed Control	-	Yes
Quick Review	-	Yes

Data organization

Files per folder	-	1-200
No. of folders for Voice	1 - 7 programmable	1 - 7
Time/date info	Yes	Yes
Folder Music	-	0
Folder Podcasts	-	no podcast support
Folder Audible	-	no audible support
File move	-	No

Workflow function

Priority setting	Yes	Yes
Author ID Setting	10	Yes
Worktype ID Setting	Yes 20	Yes
Pending File	Yes	Yes

Other Features

Audible support	-	No
Podcast support	-	No
Voice feedback / guidance	-	No
Remote Control	-	No
Configurable Firmware	-	Yes

Software

corresponding Audio software (type)	-	Professional Dictation Management Software
Corresponding Audio software (name)	ODMS R6 - Olympus Dictation Management System	DSS Player Pro R5 Dictation Module

Interfaces Input

PC interface	USB cable and docking station	USB cable and docking station
Microphone jack	3.5 \emptyset mm jack, impedance 2 k Ω .	3.5 \emptyset mm jack, impedance 2 k Ω .
SD / SDHC interface	-	optional Barcode scanner

Interfaces Output

Earphone jack	3.5 \emptyset mm mini-jack, impedance 8 Ω or more	3.5 \emptyset mm mini-jack, impedance 8 Ω or more
---------------	--	--

Power Supply

Power Supply	Lithium-Ion Battery LI-42B	2 x AAA Batteries, Rated voltage: 3 V
Alkaline battery life	-	Recording SP: 32 h (Recording QP: 24 hours)
Ni-MH battery life	-	Recording SP: 28 h (Recording QP: 20 hours)
Docking station with recharge function	Yes	Yes
Device standalone recharge function via AC adapter	Yes	Yes
Device standalone recharge function via USB	Yes	Yes

Dimensions

WxHxD	114.5 x 49.8 x 17.5 mm	113.5 x 50 x 17 mm
Weight	107 g (incl. battery)	110 g (Including Ni-MH Rechargeable Battery Pack)
Housing color	Black	Black

Housing material	Metal	Metal
------------------	-------	-------

Languages:

Menu languages	EN, DE, CZ, DK, ES, FR, NL, PL, RU, SV	English, German, French, Spanish, Italian, Russian
----------------	--	--

Hardware Security:

Device Lock by PIN code	Yes	Yes
Device Lock by Fingerprint	No	No
Lock single files	Yes DSS Pro real-time encryption (128 / 256 Bit)	Yes

Box Contents:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Olympus Dictation Management System Dictation Module • DSS Player for MAC • CR-15 Docking Station • SD card (2 GB) • microSD card (2 GB) • KP-21 USB cable • Quick Start Guide • Instruction Manual • A-517 AC-Adapter AC Adapter • LI-42B Rechargeable Lithium-Ion Battery • CS-137 Leather case with belt clip | <ul style="list-style-type: none"> • DSS Player Pro R5 Dictation Module • DSS Player for MAC • SD card (2 GB) • A-515 AC Adapter • microSD card (512 MB) • CS-119 Leather case • CR-10 Docking Station • BR-403 NI-MH Battery Pack • KP-21 USB cable • Quick Start Guide • Instruction Manual |
|--|--|

EXECUTIVE COMMUNICATION SYSTEMS

Phone: 808-526-1209 Fax: 808-356-1538

e-mail: execommsys@msn.com website: www.execommsys.com